

CERTIFICATE OF ANALYSIS



Customer: HPL Wholesale Inc.
3017 Greene St
Hollywood, FL 33020

Batch #: SLHMB0623
Laboratory Number: ATL-15630

Report Issue Date: 9/25/2023
Order Date: 9/22/2023
Analysis Date: 9/25/2023

Sample Description:
THCA MoonRock Blunts



Extraction Technician: LL
Analytical Chemist: LL

Unit Weight: 2.4498g / Pre roll

Kim Dang
Laboratory Manager

CANNABINOID PROFILE -16 COUNTS

Analyte	LOQ (mg/g)	Results mg/preroll	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	190.815	7.789
CBG-A	<0.008	112.936	4.610
CBG	<0.007	7.766	0.317
CBD	<0.008	73.861	3.015
THCV	<0.008	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/preroll	%
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	N/D	N/D
CBN	<0.011	1.641	0.067
D9-THC	<0.014	7.790	0.218
D8-THC	<0.005	77.095	3.147
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/preroll	%
CBC	<0.009	5.904	0.241
CBC-A	<0.005	9.530	0.389
THC-A	<0.005	22.636	0.924

Max Active THC	mg/preroll	%
	27.64	1.13
Max Active CBD	mg/preroll	%
	241.21	9.85

Total Active Cannabinoids	mg/preroll	%
	468.77	19.14
Total Cannabinoids	mg/preroll	%
	509.97	20.82

NOTES

Blank area for notes.

Cannabidiol (CBD), Cannabidiolol (CBDA), Cannabigerol (CBG), Cannabigerolol (CBGA), Cannabichromene (CBC), Cannabichromenic Acid (CBCA), Tetrahydrocannabinol (THC), Tetrahydrocannabinolic Acid (THCA), Tetrahydrocannabinolol (THCV), Tetrahydrocannabinolic Acidol (THCA), Cannabinol (CBN), Delta-9-Tetrahydrocannabinol (D9-THC), Delta-8-Tetrahydrocannabinol (D8-THC), 9S-Delta-10-Tetrahydrocannabinol (9S-D10-THC), 9R-Delta-10-Tetrahydrocannabinol (9R-D10-THC), Tetrahydrocannabinololol (THCA), Tetrahydrocannabinolic Acidolol (THCA)

Document ID: ATL-225 Revision: 04 Effective Date: 8/2/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.

The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduced except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

CERTIFICATE OF ANALYSIS



HPL Wholesale Inc.
Customer: 3017 Greene St
 Hollywood, FL 33020

Batch #: JSMB0623
Laboratory Number: ATL-15631

Report Issue Date: 9/25/2023
Order Date: 9/22/2023
Analysis Date: 9/25/2023

Sample Description:
 THCA MoonRock Blunts



Extraction Technician: LL
Analytical Chemist: LL

Unit Weight: 2.4498g / Pre roll

Kim Dang
 Laboratory Manager

CANNABINOID PROFILE -16 COUNTS

Analyte	LOQ (mg/g)	Results mg/preroll	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	190.815	7.789
CBG-A	<0.008	112.936	4.610
CBG	<0.007	7.766	0.317
CBD	<0.008	73.861	3.015
THCV	<0.008	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/preroll	%
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	N/D	N/D
CBN	<0.011	1.641	0.067
D9-THC	<0.014	7.790	0.218
D8-THC	<0.005	77.095	3.147
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/preroll	%
CBC	<0.009	5.904	0.241
CBC-A	<0.005	9.530	0.389
THC-A	<0.005	22.636	0.924

Max Active THC	mg/preroll	%
	27.64	1.13
Max Active CBD	mg/preroll	%
	241.21	9.85

Total Active Cannabinoids	mg/preroll	%
	468.77	19.14
Total Cannabinoids	mg/preroll	%
	509.97	20.82

NOTES

Cannabidiol(CBD) Cannabidiol(CBDVA) Cannabidiol(CBDV) Cannabidiol(CBD) Cannabigerol(CBGA) Cannabigerol(CBG) Cannabidiol(CBD)
 Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9- Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC)
 9S-Delta-10- Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) Cannabichromene(CBC) Cannabichromenic Acid(CBCA)
 Tetrahydrocannabinolic Acid(THCA)

Document ID: ATL-225 Revision: 04 Effective Date:8/2/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.
 The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.
 Certificate of Analysis shall not be reproduced except in full without approval of Accurate Test Lab, LLC.
 N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)



CERTIFICATE OF ANALYSIS



Customer: HPL Wholesale Inc.
3017 Greene St
Hollywood, FL 33020

Batch #: C91MB0623
Laboratory Number: ATL-15632

Report Issue Date: 9/25/2023
Order Date: 9/22/2023
Analysis Date: 9/25/2023

Sample Description:
THCA MoonRock Blunts



Unit Weight: 2.4498g / Pre roll

Extraction Technician: LL
Analytical Chemist: LL

Kim Dang
Laboratory Manager

CANNABINOID PROFILE -16 COUNTS

Analyte	LOQ (mg/g)	Results mg/preroll	%
CBDV-A	<0.011	N/D	N/D

CBDV	<0.011	N/D	N/D
------	--------	-----	-----

CBD-A	<0.008	190.815	7.789
-------	--------	---------	-------

CBG-A	<0.008	112.936	4.610
-------	--------	---------	-------

CBG	<0.007	7.766	0.317
-----	--------	-------	-------

CBD	<0.008	73.861	3.015
-----	--------	--------	-------

THCV	<0.008	N/D	N/D
------	--------	-----	-----

Analyte	LOQ (mg/g)	Results mg/preroll	%
D8-THCV	<0.004	N/D	N/D

THCV-A	<0.005	N/D	N/D
--------	--------	-----	-----

CBN	<0.011	1.641	0.067
-----	--------	-------	-------

D9-THC	<0.014	7.790	0.218
--------	--------	-------	-------

D8-THC	<0.005	77.095	3.147
--------	--------	--------	-------

9S-D10-THC	<0.005	N/D	N/D
------------	--------	-----	-----

9R-D10-THC	<0.002	N/D	N/D
------------	--------	-----	-----

Analyte	LOQ (mg/g)	Results mg/preroll	%
CBC	<0.009	5.904	0.241

CBC-A	<0.005	9.530	0.389
-------	--------	-------	-------

THC-A	<0.005	22.636	0.924
-------	--------	--------	-------

Max Active THC	mg/preroll	%
	27.64	1.13

Total Active Cannabinoids	mg/preroll	%
	468.77	19.14

Max Active CBD	mg/preroll	%
	241.21	9.85

Total Cannabinoids	mg/preroll	%
	509.97	20.82

NOTES

Cannabidiol (CBD), Cannabidiol (CBDVA), Cannabidiol (CBDV), Cannabidiol (CBDA), Cannabigerol (CBGA), Cannabigerol (CBG), Cannabidiol (CBD), Tetrahydrocannabinol (THCV), Tetrahydrocannabinol (THCVA), Tetrahydrocannabinol (THC), Delta-9-Tetrahydrocannabinol (D9-THC), Delta-8-Tetrahydrocannabinol (D8-THC), 9S-Delta-10-Tetrahydrocannabinol (9S-D10-THC), 9R-Delta-10-Tetrahydrocannabinol (9R-D10-THC), Cannabichromene (CBC), Cannabichromenic Acid (CBCA), Tetrahydrocannabinolic Acid (THCA)

Document ID: ATL-225 Revision: 04 Effective Date: 8/2/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduced except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

CERTIFICATE OF ANALYSIS



HPL Wholesale Inc.
Customer: 3017 Greene St
 Hollywood, FL 33020

Batch #: CMB0623
Laboratory Number: ATL-15633

Report Issue Date: 9/25/2023
Order Date: 9/22/2023
Analysis Date: 9/25/2023

Sample Description:
 THCA MoonRock Blunts



Extraction Technician: LL
Analytical Chemist: LL

Unit Weight: 2.4498g / Pre roll

Kim Dang
 Laboratory Manager

CANNABINOID PROFILE -16 COUNTS

Analyte	LOQ (mg/g)	Results mg/preroll	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	190.815	7.789
CBG-A	<0.008	112.936	4.610
CBG	<0.007	7.766	0.317
CBD	<0.008	73.861	3.015
THCV	<0.008	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/preroll	%
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	N/D	N/D
CBN	<0.011	1.641	0.067
D9-THC	<0.014	7.790	0.218
D8-THC	<0.005	77.095	3.147
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/preroll	%
CBC	<0.009	5.904	0.241
CBC-A	<0.005	9.530	0.389
THC-A	<0.005	22.636	0.924

Max Active THC	mg/preroll	%
	27.64	1.13
Max Active CBD	mg/preroll	%
	241.21	9.85

Total Active Cannabinoids	mg/preroll	%
	468.77	19.14
Total Cannabinoids	mg/preroll	%
	509.97	20.82

NOTES

(This area is currently blank for notes.)

Cannabidiol(CBD) Cannabidiol(CBDVA) Cannabidiol(CBDV) Cannabidiol(CBD) Cannabigerol(CBG) Cannabigerol(CBGA) Cannabigerol(CBGA) Cannabigerol(CBG) Cannabidiol(CBD)
 Tetrahydrocannabinol(THCV) Tetrahydrocannabinol(THCV) Tetrahydrocannabinol(THCV) Cannabinol(CBN) Delta-9-Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC)
 9S-Delta-10-Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) Cannabichromene(CBC) Cannabichromene(CBCA)
 Tetrahydrocannabinolic Acid(THCA)

Document ID: ATL-225 Revision: 04 Effective Date: 8/2/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduced except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification
 Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)



CERTIFICATE OF ANALYSIS



Customer: HPL Wholesale Inc.
3017 Greene St
Hollywood, FL 33020

Batch #: TWMB0623
Laboratory Number: ATL-15634

Report Issue Date: 9/25/2023
Order Date: 9/22/2023
Analysis Date: 9/25/2023

Sample Description:

THCA MoonRock Blunts

Extraction Technician: LL
Analytical Chemist: LL



Unit Weight: 2.4498g / Pre roll

Kim Dang
Laboratory Manager

CANNABINOID PROFILE -16 COUNTS

Analyte	LOQ (mg/g)	Results mg/preroll	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	190.815	7.789
CBG-A	<0.008	112.936	4.610
CBG	<0.007	7.766	0.317
CBD	<0.008	73.861	3.015
THCV	<0.008	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/preroll	%
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	N/D	N/D
CBN	<0.011	1.641	0.067
D9-THC	<0.014	7.790	0.218
D8-THC	<0.005	77.095	3.147
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/preroll	%
CBC	<0.009	5.904	0.241
CBC-A	<0.005	9.530	0.389
THC-A	<0.005	22.636	0.924

Max Active THC	mg/preroll	%
	27.64	1.13
Max Active CBD	mg/preroll	%
	241.21	9.85

Total Active Cannabinoids	mg/preroll	%
	468.77	19.14
Total Cannabinoids	mg/preroll	%
	509.97	20.82

NOTES

Cannabidiol(CBD) Cannabidiol(CBDVA) Cannabidiol(CBDV) Cannabidiol(CBD) Cannabidiol(CBD) Cannabidiol(CBD) Cannabidiol(CBD)
Tetrahydrocannabinol(THCV) Tetrahydrocannabinolic Acid(THCVA) Cannabinol(CBN) Delta-9-Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC)
9S-Delta-10-Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) Cannabichromene(CBC) Cannabichromenic Acid(CBCA)
Tetrahydrocannabinolic Acid(THCA)

Document ID: ATL-225 Revision: 04 Effective Date: 8/2/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduced except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification
Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)